



## Premium Top Treatments Specifications and Options



### Style: V3

**WIDTH:**

Minimum: 40"  
Maximum: 192"

**HEIGHTS:**

Short point: 12" approximate  
Long point: 22" approximate

**SWOOP COUNT:**

This style always has two swoops.

**MEASURING/MOUNTING NOTES:**

- Outside mount only.
- V3 is mounted with "L" brackets like a traditional cornice.

**RETURN/BOARD/ROD SIZES:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**AVAILABLE FABRICS:**

The V3 is available in any Horizons Soft Treatments fabric or C.O.M.

**FABRIC ORIENTATION:**

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

**LINING:**

- Standard (non-sheer) fabrics are self lined standard. Contrast lining and Interlining are optional.
- Sheer fabrics are self lined standard.

**DECORATIVE TRIMMINGS:**

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

**WELTING:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

**PRICING:** page B88



### Style: V4

**WIDTH:**

Minimum: 24"  
Maximum: 100"

**HEIGHTS:**

Short point: 12" approximate  
Long point (center swoop): 15" approximate  
Long point (kerchief): 22" approximate

**SWOOP COUNT:**

This style always has one swoop.

**MEASURING/MOUNTING NOTES:**

- Outside mount only.
- V4 is mounted with "L" brackets like a traditional cornice.

**RETURN/BOARD/ROD SIZES:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**AVAILABLE FABRICS:**

The V4 is available in any Horizons Soft Treatments fabric or C.O.M.

**FABRIC ORIENTATION:**

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

**LINING:**

- Standard (non-sheer) fabrics are self lined standard. Contrast lining and Interlining are optional.
- Sheer fabrics are self lined standard.

**DECORATIVE TRIMMINGS:**

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

**WELTING:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

**PRICING:** page B88



## Premium Top Treatments Specifications and Options



### Style: V5

#### WIDTH:


Minimum: 24"  
Maximum: 192"

#### HEIGHTS:

10", 14" or 18"

#### MEASURING/MOUNTING NOTES:

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 3" to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.
- V5 is mounted with "L" brackets like a traditional cornice.



#### RETURN/BOARD/ROD SIZES:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

#### AVAILABLE FABRICS:

The V5 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

#### FABRIC ORIENTATION:

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

#### LINING:

This style is available with blackout lining only.

#### EDGE ACCENTS BANDING:

2" Edge Accents Banding is optional across the bottom.

#### DECORATIVE TRIMMINGS:

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

#### WELTING:

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

#### MITERS:

Any miter other than a 90° angle requires a template or an exact drawing of the actual angle. When ordering, give the measurement from the corner to where the valance will end

**PRICING:** page B88



### Style: V6

#### WIDTH:


Minimum: 24"  
Maximum: 192"

#### HEIGHTS:

Standard: 14" with 20" kerchiefs.  
Optional: 18" with 32" kerchiefs.

#### MEASURING/MOUNTING NOTES:

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 3" to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.
- V6 is mounted with "L" brackets like a traditional cornice.



#### RETURN/BOARD/ROD SIZES:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

#### AVAILABLE FABRICS:

- The V6 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.
- The kerchiefs may be matching or contrasting fabric.

#### FABRIC ORIENTATION:

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

#### LINING:

- The straight portion is available with blackout lining only.
- The kerchiefs are self lined.

#### DECORATIVE TRIMMINGS:

Decorative Trimmings may be applied on all bottom edges. See pages B20 - B25 to view the entire line of Decorative Trimmings.

#### WELTING:

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

#### EDGE ACCENTS BANDING:

2" Edge Accents Banding is optional across the bottom.

**PRICING:** page B88



## Premium Top Treatments Specifications and Options



### Style: V7

#### WIDTH:


Minimum: 24"  
Maximum: 192"

#### HEIGHTS:

14" or 18"

#### MEASURING/MOUNTING NOTES:

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 3" to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.
- V7 is mounted with "L" brackets like a traditional cornice.



#### RETURN/BOARD/ROD SIZES:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

#### AVAILABLE FABRICS:

- The V7 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

#### FABRIC ORIENTATION:

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

#### LINING:

This style is available with blackout lining only.

#### DECORATIVE TRIMMINGS:


Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

#### WELTING:

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

#### VALANCE TIES:

A pair of 2" valance ties may be added with or without tails. Choose any fabric from the Horizons Soft Treatments line or C.O.M. The ties may be matching or contrasting fabric.




#### MITERS:

Any miter other than a 90° angle requires a template or an exact drawing of the actual angle. When ordering, give the measurement from the corner to where the valance will end.

**PRICING:** page B89

B124



### Style: V9

#### WIDTH:

Minimum: 24"  
Maximum: 192"

#### HEIGHTS:

Swags: short point: 12" approximate  
long point: 18" approximate  
Jabots: standard: 36" approximate  
Custom heights to 108" optional

#### SWAG COUNT:

- 1 swag up to 44" wide
- 2 swags up to 66" wide
- 3 swags up to 92" wide
- 4 swags up to 119" wide
- 5 swags up to 149" wide
- 6 swags up to 169" wide
- 7 swags up to 192" wide

#### MEASURING/MOUNTING NOTES:

- Outside mount only.
- The V9 is mounted on a matching fabric wrapped board.
- The standard is for swags to overlap right over left. Swags with left overlapping right are optional.

#### RETURN/BOARD/ROD SIZES:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

#### AVAILABLE FABRICS:

The V9 is available in any Horizons Soft Treatments fabric or C.O.M.

#### LINING:

- Swags are light filtering lined only.
- Jabots are self lined standard, but contrasting lining and interlining are optional.

#### DECORATIVE TRIMMINGS:

Decorative Trimmings may be applied on the bottoms of the swags and/or at the leading edge of the jabots. See pages B20 - B25 to view the entire line of Decorative Trimmings.

#### WELTING:

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

#### MITERS:


Any miter other than a 90° angle requires a template or an exact drawing of the actual angle. When ordering, give the measurement from the corner to where the valance will end.

**PRICING:** page B89

March 2017



## Premium Top Treatments Specifications and Options



### Style: V10

**WIDTH:**

Minimum: 30"  
Maximum: 192"

**HEIGHTS:**

Swags: short point: 12" approximate  
long point: 18" approximate  
Jabots: standard: 36" approximate  
Custom heights to 108" optional

**SWAG COUNT:**

1 swag up to 40" wide  
2 swags up to 66" wide  
3 swags up to 92" wide  
4 swags up to 119" wide  
5 swags up to 149" wide  
6 swags up to 169" wide  
7 swags up to 192" wide

**MEASURING/MOUNTING NOTES:**

- Outside mount only.
- The V10's sections are pre-formed at the workroom and attach to the pole with provided velcro for easy installation.
- The standard is for swags to overlap right over left. Swags with left overlapping right are optional.

**RETURN/BOARD/ROD SIZES:**

- This style does not have returns.
- This style may be mounted on any rod from 3/4" to 2" in diameter.

**AVAILABLE FABRICS:**

The V10 is available in any Horizons Soft Treatments fabric or C.O.M.

**LINING:**

- Swags are light filtering lined standard. Dual lining is available upon request.
- Jabots are self lined standard, but contrasting lining, dual or interlining are optional.

**DECORATIVE TRIMMINGS:**

Decorative Trimmings may be applied on the bottoms of the swags and/or at the leading edge of the jabots. See pages B20 - B25 to view the entire line of Decorative Trimmings.

**PRICING:** page B89



### Style: V11

**WIDTH:**


Minimum: 24"  
Maximum: 192"

**HEIGHTS:**

15" long point /12" short point  
20" long point /15" short point

**MEASURING/MOUNTING NOTES:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 3" to the width to allow for their thickness.
- V11 is mounted with "L" brackets like a traditional cornice.
- Right over left overlap is standard.
- Left over right overlap is optional.


**RETURN/BOARD/ROD SIZES:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**AVAILABLE FABRICS:**

The V11 is available in any Horizons Soft Treatments fabric or C.O.M.

**FABRIC ORIENTATION:**

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request, however the V11 valance is not recommended cut & seamed.

**LINING:**

- Standard (non-sheer) fabrics are light filtering lined only.
- Sheer fabrics are self lined standard.

**DECORATIVE TRIMMINGS:**

Decorative Trimmings may be applied on the bottom edge of the front panel. See pages B20 - B25 to view the entire line of Decorative Trimmings.

**WELTING:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

**PRICING:** page B90



## Premium Top Treatments Specifications and Options



### Style: V13

#### WIDTH:


Minimum: 24"  
Maximum: 192"

#### HEIGHTS:

20" long point /15" short point  
15" long point /10" short point

#### MEASURING/MOUNTING NOTES:

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 3" to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.



- V13 is mounted with "L" brackets like a traditional cornice.

#### RETURN/BOARD/ROD SIZES:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

#### AVAILABLE FABRICS:

The V13 is available in any Horizons Soft Treatments fabric or C.O.M.

#### FABRIC ORIENTATION:

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

#### LINING:

- Standard (non-sheer) fabrics are self lined standard. Contrast lining and Interlining are optional.
- Sheer fabrics are self lined standard.

#### DECORATIVE TRIMMINGS:

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

#### WELTING:

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

PRICING: page B90

B126



### Style: V14

#### WIDTH:

Minimum: 24"  
Maximum: 192"

#### HEIGHTS:


Short point: 12" approximate  
Long point: 16" approximate

#### SWOOP COUNT:

This style always has one swoop.

#### MEASURING/MOUNTING NOTES:

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 3" to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.



- V14 is mounted with "L" brackets like a traditional cornice.

#### RETURN/BOARD/ROD SIZES:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

#### AVAILABLE FABRICS:

The V14 is available in any Horizons Soft Treatments fabric or C.O.M.

#### FABRIC ORIENTATION:

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request, however the V14 valance is not recommended cut & seamed.

#### LINING:

- Standard (non-sheer) fabrics are light filtering lined only.
- Sheer fabrics are self lined standard.

#### DECORATIVE TRIMMINGS:

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.


#### WELTING:

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

PRICING: page B90



## Premium Top Treatments Specifications and Options



### Style: V15

#### WIDTH:

Minimum: 24"  
Maximum: 192"

#### HEIGHTS:


Swags: short point: 12" approximate  
long point: 16" approximate  
Jabots: standard: 36" approximate  
Custom heights to 108" optional

#### SWOOP COUNT:

This style always has one swoop.

#### MEASURING/MOUNTING NOTES:

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 3" to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.
- V15 is mounted with "L" brackets like a traditional cornice.



#### RETURN/BOARD/ROD SIZES:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

#### AVAILABLE FABRICS:

The V15 is available in any Horizons Soft Treatments fabric or C.O.M.

#### FABRIC ORIENTATION:

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request, however the V15 valance is not recommended cut & seamed.

#### LINING:

- The swag is light filtering lined only for standard (non-sheer) fabrics. Sheers are self lined standard.
- It is standard for jabots to be self lined. Contrasting lining is optional. Interlining is available for an additional charge. Sheers are self lined standard.


#### DECORATIVE TRIMMINGS:

Decorative Trimmings may be applied on the bottoms of the swags and/or at the leading edge of the jabots. See pages B20 - B25 to view the entire line of Decorative Trimmings.

#### WELTING:

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

**PRICING:** page B90



### Style: V17

#### WIDTH:

Minimum: 24"  
Maximum: 192"

#### HEIGHTS:

29" long point /12" short point  
26" long point /10" short point

#### SWOOP COUNT:

This style always has 2 swoops.

#### MEASURING/MOUNTING NOTES:

- Outside mount only.
- V17 is mounted with "L" brackets like a traditional cornice.

#### RETURN/BOARD/ROD SIZES:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

#### AVAILABLE FABRICS:

The V17 fabric is only available in non-sheer Horizons Soft Treatments fabric or C.O.M.

- It is standard for the straight portion to be contrasting.
- The V17 is constructed with a standard 3" contrasting band that will match the straight portion.

#### FABRIC ORIENTATION:

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.


#### LINING:

- The swoops are lined with the contrasting fabric.
- The straight portion is self lined.

**PRICING:** page B91



## Premium Top Treatments Specifications and Options



### Style: V20

**WIDTH:**

Minimum: 24"  
Maximum: 192"

**HEIGHTS:**

32" long point /14" short point  
36" long point /18" short point

**MEASURING/MOUNTING NOTES:**

- Outside mount only.
- This style is constructed with a matching fabric wrapped board.
- V20 is mounted with "L" brackets like a traditional cornice.

**RETURN/BOARD/ROD SIZES:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**AVAILABLE FABRICS:**

The V20 is only available in non-sheer Horizons Soft Treatments fabric or C.O.M.

**FABRIC ORIENTATION:**

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

**LINING:**

Self lining is standard for this style. Contrasting lining and interlining are optional.

**EDGE ACCENTS BANDING:**

2" banding is optional at the bottom edge of the valance.

**DECORATIVE TRIMMINGS:**

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

**WELTING:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

**PRICING:** page B91

B128



### Style: V22

**WIDTH:**

Minimum: 24"  
Maximum: 192"

**HEIGHTS:**

14" or 18"

**PLEAT COUNT:**

2 pleats up to 30" wide	8 pleats up to 120" wide
3 pleats up to 45" wide	9 pleats up to 135" wide
4 pleats up to 60" wide	10 pleats up to 150" wide
5 pleats up to 75" wide	11 pleats up to 165" wide
6 pleats up to 90" wide	12 pleats up to 180" wide
7 pleats up to 105" wide	13 pleats up to 192" wide

**MEASURING/MOUNTING NOTES:**

- Outside mount only.
- V22 is mounted with "L" brackets like a traditional cornice.

**RETURN/BOARD/ROD SIZES:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**AVAILABLE FABRICS:**

The V22 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

**FABRIC ORIENTATION:**

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

**LINING:**

This style is blackout lined only.

**EDGE ACCENTS BANDING:**

2" banding is optional at the bottom edge of the valance.

**DECORATIVE TRIMMINGS:**

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

**WELTING:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

**MITERS:**

Any miter other than a 90° angle requires a template or an exact drawing of the actual angle. When ordering, give the measurement from the corner to where the valance will end.

**PRICING:** page B91

March 2017



## Premium Top Treatments Specifications and Options



### Style: V23

**WIDTH:**

Minimum: 24"  
Maximum: 192"

**HEIGHTS:**

14" or 18"

**PLEAT COUNT:**

This style has one pleat in the center and one pleat at each corner. The center pleat may be omitted upon request for no additional charge.

**MEASURING/MOUNTING NOTES:**

- Outside mount only.
- V23 is mounted with "L" brackets like a traditional cornice.

**RETURN/BOARD/ROD SIZES:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**AVAILABLE FABRICS:**

The V23 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

**FABRIC ORIENTATION:**

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

**LINING:**

This style is blackout lined only.

**EDGE ACCENTS BANDING:**

2" banding is optional at the bottom edge of the valance.

**DECORATIVE TRIMMINGS:**

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

**WELTING:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

**MITERS:**

Any miter other than a 90° angle requires a template or an exact drawing of the actual angle. When ordering, give the measurement from the corner to where the valance will end.

**PRICING:** page B91



2 Bottom  
Folds

### Style: V24

**WIDTH:**


Minimum: 24"  
Maximum: 192"

**HEIGHTS:**

10", 14" or 18"

**MEASURING/MOUNTING NOTES:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 3" to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.
- V24 is mounted with "L" brackets like a traditional cornice.


**RETURN/BOARD/ROD SIZES:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**AVAILABLE FABRICS:**

The V24 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

- It is standard for the two folds to be made in the same fabric. Contrasting folds are available at no extra charge.

**FABRIC ORIENTATION:**

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

**LINING:**

This style is blackout lined only.

**DECORATIVE TRIMMINGS:**

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

**WELTING:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

**MITERS:**

Any miter other than a 90° angle requires a template or an exact drawing of the actual angle. When ordering, give the measurement from the corner to where the valance will end.

**PRICING:** page B92





## Premium Top Treatments Specifications and Options



### Style: V26

#### WIDTH:

Minimum: 24"  
Maximum: 192"

#### HEIGHTS:


14" long point / 10" short point  
18" long point / 14" short point

#### TIE COUNT:

2 ties up to 59" wide  
3 ties up to 98" wide  
4 ties up to 139" wide  
5 ties up to 177" wide  
6 ties up to 192" wide

#### MEASURING/MOUNTING NOTES:

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 3" to the width to allow for their thickness.
- V26 is mounted with "L" brackets like a traditional cornice.



#### RETURN/BOARD/ROD SIZES:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

#### AVAILABLE FABRICS:

The V26 is available in any Horizons Soft Treatments fabric or C.O.M.

#### FABRIC ORIENTATION:

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

#### LINING:

- Standard (non-sheer) fabrics are self lined standard, but contrasting lining and interlining are optional.
- Sheer fabrics may be self lined.


#### WELTING:

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

#### VALANCE TIES:

3" valance ties are standard and may be with or without tails. Choose any fabric from the Horizons Soft Treatments line or C.O.M.

**PRICING:** page B92



### Style: V29

#### WIDTH:

Minimum: 32"  
Maximum: 192"

#### HEIGHTS:

28" long jabot / 14" straight portion / 23" short jabot / 9" short point  
36" long jabot / 18" straight portion / 26" short jabot / 13" short point

#### MEASURING/MOUNTING NOTES:

- Outside mount only.
- This style is constructed with a matching fabric wrapped board.
- V29 is mounted with "L" brackets like a traditional cornice.
- Long Jabot on Right is standard.
- Long Jabot on Left is optional.

#### RETURN/BOARD/ROD SIZES:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

#### AVAILABLE FABRICS:

The V29 is only available in non-sheer Horizons Soft Treatments fabric or C.O.M.

#### FABRIC ORIENTATION:

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

#### LINING:

- Self lining is standard for this style. Contrasting lining and interlining are optional.

#### DECORATIVE TRIMMINGS:

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

#### WELTING:

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

#### MITERS:

Any miter other than a 90° angle requires a template or an exact drawing of the actual angle. When ordering, give the measurement from the corner to where the valance will end.

**PRICING:** page B92



## Premium Top Treatments Specifications and Options



### Style: V31

#### WIDTH:


Minimum: 24"  
Maximum: 192"

#### HEIGHTS:

14" or 18"

#### MEASURING/MOUNTING NOTES:

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 3" to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.
- V31 is mounted with "L" brackets like a traditional cornice.



#### RETURN/BOARD/ROD SIZES:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

#### AVAILABLE FABRICS:

The V31 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

#### FABRIC ORIENTATION:

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

#### LINING:

This style is available with blackout or premium lining.

#### EDGE ACCENTS BANDING:

2" Edge Accents Banding is optional on the sides and/or bottom of the valance.

#### DECORATIVE TRIMMINGS:

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

PRICING: page B93



### Style: V32

#### WIDTH:


Minimum: 24"  
Maximum: 192"

#### HEIGHTS:

14" or 18" short point.  
The long point is approximately 2" - 3" longer than the ordered height.

#### MEASURING/MOUNTING NOTES:

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 3" to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.
- V32 is mounted with "L" brackets like a traditional cornice.



#### RETURN/BOARD/ROD SIZES:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

#### AVAILABLE FABRICS:

The V32 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

#### FABRIC ORIENTATION:

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

#### LINING:

This style is available with blackout or premium lining.

#### EDGE ACCENTS BANDING:

2" Edge Accents Banding is optional on the sides and/or bottom of the valance.

#### DECORATIVE TRIMMINGS:

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

PRICING: page B93



## Premium Top Treatments Specifications and Options



### Style: V33

**WIDTH:**

Minimum: 24"  
Maximum: 192"

**HEIGHTS:**

14" or 18"

The short point is approximately 3" shorter than the ordered height.

**PLEAT COUNT:**

This style always has two pleats spaced 15% in from each side.

**MEASURING/MOUNTING NOTES:**

- Outside mount only.
- V33 is mounted with "L" brackets like a traditional cornice.

**RETURN/BOARD/ROD SIZES:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**AVAILABLE FABRICS:**

The V33 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

**FABRIC ORIENTATION:**

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

**LINING:**

This style is blackout lined only.

**DECORATIVE TRIMMINGS:**

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

**WELTING:**


A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

**MITERS:**

Any miter other than a 90° angle requires a template or an exact drawing of the actual angle. When ordering, give the measurement from the corner to where the valance will end.

**PRICING:** page B93

B132



### Style: V34

**WIDTH:**

Minimum: 24"  
Maximum: 192"

**HEIGHTS:**

14" or 18"

Short point is approximately 3" shorter than the ordered height.

**PLEAT COUNT:**

2 pleats up to 30" wide	8 pleats up to 120" wide
3 pleats up to 45" wide	9 pleats up to 135" wide
4 pleats up to 60" wide	10 pleats up to 150" wide
5 pleats up to 75" wide	11 pleats up to 165" wide
6 pleats up to 90" wide	12 pleats up to 180" wide
7 pleats up to 105" wide	13 pleats up to 192" wide

**MEASURING/MOUNTING NOTES:**

- Outside mount only.
- V34 is mounted with "L" brackets like a traditional cornice.

**RETURN/BOARD/ROD SIZES:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**AVAILABLE FABRICS:**

The V34 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

**FABRIC ORIENTATION:**

- Most fabrics will be railroaded as standard, except fabrics with distinct vertical orientation, which will be cut and seamed.
- Cut & Seam is also available upon request.

**LINING:**

This style is blackout lined only.

**DECORATIVE TRIMMINGS:**

Decorative Trimmings may be applied on the bottom edge. See pages B20 - B25 to view the entire line of Decorative Trimmings.

**WELTING:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is optional at no additional charge.

**MITERS:**

Any miter other than a 90° angle requires a template or an exact drawing of the actual angle. When ordering, give the measurement from the corner to where the valance will end.

**PRICING:** page B93



## Casual Top Treatments Specifications and Options

### Sleeve Valances




---

**WIDTH: ALL STYLES**

Minimum: 18"  
Maximum: 200"

---

**HEIGHT:**

L2: 5"  
L3: 6" including headers  
L4: 8" including headers

---

**HEADER SIZE:**

L2: Not applicable  
L3: 1-1/2" top and bottom  
L4: 1-1/2" top and bottom

---

**FULLNESS: ALL STYLES**

- 2-1/2x fullness
- The workroom will automatically allow for two 4" returns on an outside mount.

---

**AVAILABLE FABRICS: ALL STYLES**

Available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

---

**ROD:**

L2: A 4-1/2" Flat Rod is optional.  
L3: A 2-1/2" Flat Rod is optional.  
L4: A 4-1/2" Flat Rod is optional.

---

**ROD WIDTH: ALL STYLES**

When ordering a sleeve valance, specify the rod width.

---

**ROD POCKET SIZE:**

L2: This style has a 5-1/2" rod pocket.  
L3: This style has a 3-1/2" rod pocket.  
L4: This style has a 5-1/2" rod pocket.

---

**ROD RETURNS: ALL STYLES**

- The standard rod return is adjustable from 2-1/2" to 3-1/2".
  - Extended returns are also available for an extra charge. They extend from 4-1/4" to 7-1/2".
- 

**PRICING:** page B94

March 2017

### Skirt Valances




---

**WIDTH: ALL STYLES**

Minimum: 18"  
Maximum: 200"

---

**HEIGHT:**

K1: 16" including header  
K2: 26" long point / 14" short point  
K4: 18" long point / 12" short point

---

**HEADER SIZE: ALL STYLES**

2" top

---

**FULLNESS: ALL STYLES**

- 2-1/2x fullness
- The workroom will automatically allow for two 4" returns on an outside mount.

---

**AVAILABLE FABRICS: ALL STYLES**

Available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

---

**LINING: ALL STYLES**

All styles are self lined standard, but white/ivory lining, contrasting lining or unlined is optional.

---

**ROD: ALL STYLES**

A 2-1/2" Flat Rod is optional.

---

**ROD WIDTH: ALL STYLES**

When ordering a skirt valance, specify the rod width.

---

**ROD POCKET SIZE: ALL STYLES**

This style has a 3-1/2" rod pocket.

---

**ROD RETURNS: ALL STYLES**

- The standard rod return is adjustable from 2-1/2" to 3-1/2".
  - Extended returns are also available for an extra charge. They extend from 4-1/4" to 7-1/2".
- 

**PRICING:** page B94



# Horizons® Accent Pillows

## Accent Pillows

Horizons Accent Pillows are available in all of the non-sheer Horizons Soft Treatments fabrics or C.O.M.

## Standard Specifications

Horizons Accent Pillows are constructed with a performance luxury fill (silicone coated hollow fill garnetted fiber) with a premium non-woven cover.

## Sizes

11" x 11"  
13" x 13"  
15" x 15"  
16" x 16"  
18" x 18"  
19" x 19"  
21" x 21"

The above sizes are approximate. Due to fabric variations, the actual size may vary by up to 2".

## Options

### WELTING

- 1/4" or 1/2" welting is available for a surcharge.
- Unless specified the welting will match the pillow. A contrasting welt color is available at no extra charge.

### BUTTONS

- An optional 1-1/2" center button is available for a surcharge.
- Unless otherwise specified the button will match the pillow. A contrasting button color is available at no extra charge.



### DECORATIVE TRIMMINGS

- All of the Horizons Decorative Trimmings are available for use on Accent Pillows. See pages B20-B25 for all the available styles and colors.



### C.O.M. TRIMS

- Horizons will customize your pillow as long as the edging, cording, or fringe is on a band or strip that is able to be machine sewn and does not require hand stitching. However the workroom will hand stitch individual corner tassels as shown in the photo above.



- See page B67 on how to send C.O.M. trim to Horizons.
- Use the following formula to calculate how much C.O.M. trim to send: Add 8" to the perimeter (outer edge) of the pillow.

#### Example for an 18" pillow:

4 sides multiplied by 18" = 72"  
72" + 8" = 80" of C.O.M trim.

### CONTRASTING FABRIC

Contrasting fabric for the opposite side of the pillow is available. Price from the higher of the two price groups plus the surcharge on page B96.

**PRICING:** page B96

B134

March 2017